



SUZHOU DORA AGRI-TECH CO.,LTD. XINYI(H.K.)INDUSTRIAL CO.,LTD.

Aimed for Green Agriculture



Overview

Company Introduction

Product Ranges

Our Market




Company Activities




History



Advance bravely



Company Introduction



Main Market

2016
2015

2016 Focus

- Our Main Market
- ★ Where we are




2016 Focus



Product Ranges


Our product range develops from **Raw Materials** to **finished formulations**.



2015 Products

Our company always attaches great importance to products innovations and developments.

In 2015, we have successfully launched many new products of Dora™ series.



2015 Biostimulant Formulations

Dora Rooting Amino



Dora-Colourful Alg



Dora-Sweetie



Item	Dora-Rooting Amino	Dora-Colourful Alg	Dora-Sweetie
Main Ingredients	Amino acids, DA-6, PGA, micronutrient, etc	Alginic acid, organic matter, humic acid, N, P, K, etc	Plant hormone, Amino acids, Compound Vitamin, Organic Nitrogen, etc
Dosage	1-5KG/Ha	600ml-900ml/Ha	375ml/Ha



2016 Products Innovations


In 2016, we bring out new products such as *Dora BoosterTriacontanol*, *Dora Immune* and *Dora Plantmate*.



TM



Dora Product List illustrate




Dora Amino 30 Liquid

GENERAL INFORMATION

Amino 30 Liquid contains a mixture of amino acids derived from protein hydrolysates of vegetative origin using acid hydrolysis method. It contains 17 L-Amino acids which can significantly promote protein synthesis, increase yield and improve quality.

SPECIFICATION

Appearance	Brown Liquid
Free Amino acids	≥30% (w/v)
pH	4.4-5.5
Carbohydrate	3-8%
Density	1.25g/ml



APPLICATION RECOMMENDATION

Foliar spray: 1-2ml per litre water, 1-2L/ha

Root irrigation: 2.5-5L/ha

Recommendation : Apply 3-4 times every season according to the crop season.

Root Irrigation methods include spray irrigation, drip irrigation, and flow irrigation.

BENIFITS

- ✓ Promote protein synthesis as it contains amino acids which act as building blocks
- ✓ Increase yield and improve quality of crops.
- ✓ Help plants enhance stress resistance.

Packing
1KG,20KG



Dora Compound Aminoacids 80%

SPECIFICATION

Appearance	Yellow powder
Solubility	100 % Water Soluble
Moisture	≤ 5%
Total Aminoacids	≥80%
Fres Aminoacids	≥70%
Total Nitrogen	≥13%
Amino-N	≥10%
pH	5.0-6.5



BENIFITS

- ✓ High concentration of free aminoacids.
- ✓ Increase chlorophyll content.
- ✓ Improve absorption of macro and trace nutrients.
- ✓ As chelating agents help the absorption and transportation of micronutrients
- ✓ Improve yield and quality.

APPLICATION RECOMMENDATION

Foliar spray at the rate is 1:1500-2000,
1.5 kg/ha every time;

Root irrigation rate :1:1200-1500

Recommendation :Apply 3-4 times every season according to the crop season. Root Irrigation methods include spray irrigation, drip irrigation, and flow irrigation.



Dora Plantmate

General Information

This formulation is produced by biological sythesis,the main component-PGA is produced by microbial fermentation. It has the function of high water absorption, anti-stress and metal chelation, then it can improve crops yields and quality.

Specification


Appearance.....	Brown Liquid
PGA(Poly-Glutamic Acid).....	3.5%
Fulvic acid.....	≥15%
pH.....	5.86
Denisty.....	1.07g/ml

Advantage

- 1.Can promote the root growth.
- 2.Increase crops resistance ability.
- 3.Increase the effectiveness of fertilizer.
- 4.Can improve the soil micro environment.
- 5.Improve crop yields and quality.

Application Recommendation


- 1.Can mixed with compound fertilizer, Urea,organic fertilizer,water soluble fertilizer;
- 2.Dosage: 1L per 100L water.
forliar spray 4L/Ha,Irrigation:8L/Ha.



Packing
1L/Bottle
200L/Drum

Dora Plantmate

The pie chart of plantmate's function proportion




Field Trial




Dora Plantmate

Using Dora Plantmate on the corn




Dora Plantmate

Using Dora Plantmate on the cucumber



Dora Plantmate

Dora Plantmate used on Potato



Dora--Immune

Dora Immune ----a brown liquid Plant Health Promoter that activates a plant's immune system which triggers growth and defense genes. Dora Immune are produced in nature by certain bacterial, plant pathogens, and plants develop receptors on their seeds, roots, and leaves to detect the presence of Immune factor which triggers an early warning system commonly called "Systemic Acquired Resistance", leading to increased plant yields and health.




Schematic of Plant Response to Dora Immune

Specification

Appearance.....	Brown Liquid
Immune factor.....	≥3g/L
Stabilizer.....	8mol/L
Potassium sorbate.....	0.2%
Density.....	1.14g/ml
pH.....	6.0-7.0

- 1.Increases yield and fruit quality
- 2.Improves nutrient uptake
- 3.Helps defend against plant diseases
- 4.Extends product shelf-life
- 5.Increases fruit sugars, tests have demonstrated increases of over 25% in Gala apples, for example.
- 6.Increases calcium uptake by more than 20%



Packing
1L/Bottle
200L/Drum




Dora Agri-Tech Co., Ltd.

www.doraagri.com

Dora Immune

Dora Immune used on Tomato



Dora Immune, apply on tomatos after 40 days.

Dora Immune

Dora Immune used on Tomato



Dora--Rooting Amino

General Inforamtion

Dora-Rooting Amino is a root growth supplement that helps plants establish healthy and vibrant root systems. Dora-Rooting Amino is outstanding for seedlings and cuttings, helping young plants develop strong and massive root systems. For mature plants Dora-Rooting Amino will maintain health by improved nutrient uptake.

Specification

Appearance.....	Brown Powder
Amino acid.....	25%
Trace elements.....	2%
Microbes.....	2x10 ⁹ CFU / G
Hormones.....	0.1%
pH.....	5.5-7.0

Advantage

- 1.Promote plant rooting,For garden plants, planting seedlings, transplanting trees and all kinds of lawn.
2. Promote the growth of root crops
3. Promote plant root development, promote seed germination and seedling growth

Application Recommendation

Dilute Dora Rooting Amino powder 200-500times,foliar spray or drip irrigation 1-3 times according to different kinds of crops, you can aslo dipping the root when transplant the seedling or the tree.



Packing
1KG/Bag
25KG/Bag




Dora Agri-Tech Co., Ltd.

www.doraagri.com

Dora Rooting Amino

Mechanism of Dora Rooting Amino



Dora Rooting Amino



Use the
Dora Rooting Amino
after 10 days

Use Dora Rooting Amino after 22 days



CK

Treated




TM



Developing products

Dora RootGuard
(*Trichoderma harzianum*)



Promote the germination
dormancy breaking

DoraZyme™ series



Quality Control



Raw Material



Pre-Shipment



Package



TM



Package



Company Training

Our training is focused on the products information sharing, clients following up skills, marketing development and analysis, logistics improvement, and questions or advices rised for discussion.

Product Training




Task Staff	Theme Product Learning Knowledge state	Client information state	Factory & Shipping information State	Client developing State	Purchase Noticement	Question/Advice Raise
Toni		√	√			√
Sophie		√		√		√
Rachel		√		√		√
Deris	√					√
Eiko					√	
Lily						√
Jill						√



Exhibition




2015 SAHARAEXPO
H1(05)
Venue: Cairo International
Conference Center




Exhibition

GROWTECH 20
EURASIA 15.
15. ULUSLARARASI SERA, TARIM EKIPMANLARI ve TEKNOLOJILERI FUARI

2015 Growtech
Booth NO.:7-721F
Venue:Antalya Expo Center



Client meetings



Client meetings



Company Outings



Aimed for Green Agriculture

Thank You !

